Audacious - OLD, PLEASE USE GITHUB DISCUSSIONS/ISSUES - Bug #234

Crash during the loading of plugin MTP upload

December 31, 2012 15:42 - Fabien ROZAR

Status:	Rejected	Start date:	December 31, 2012
Priority:	Major	Due date:	
Assignee:	ingoi	% Done:	0%
-			
Category:		Estimated time:	0.00 hour
Target version:			
Affects version:	3.4		
Description			
I cloned the source code from :			
https://github.com/audacious-media-player/audacious.git			
I compiled and installed in my home the project. I did the same with audacious-plugins project. But when I try to run audacious, it crash.			
I get the following message with the commande "*valgrind audacious*" (I have enabled the verbose variable) :			
general.c:50 [general_load]: Loading MTP Upload.			
==14714== Process terminating with default action of signal 11 (SIGSEGV)			
==14714== Bad permissions for mapped region at address 0x384 ==14714== at 0x384: ???			
==14714== by 0x40F9D3: general_load (general.c:62)			
==14714== by 0x40FB48: general_init_cb (general.c:99)			
==14714== by 0x41A331: plugin_for_each (plugin-registry.c:645)			
==14714== by 0x41A369: plugin_for_enabled (plugin-registry.c:709)			
==14714== by 0x4105C1: iface_plugin_set_current (interface.c:252)			
==14714== by 0x41BD54: start_plugins (plugin-init.c:96)			
==14714== by 0x410E32: main (main.c:492)			
So when audacious tries to load "*MTP Upload plugin*", we get a segfault.			
If you skip the loading of MTP Upload plugin, everything work (in the file src/audacious/general.c):			
static void general_load (PluginHandle * plugin)			
{			
AUDDBG ("Loading %s.\n", plugin_get_name (plugin));			
<pre>if (strcmp(plugin_get_name (plugin), "MTP Upload") == 0) return;</pre>			
}			
1			

History

#1 - December 31, 2012 17:38 - John Lindgren

- Status changed from New to Rejected

We don't distribute an MTP upload plugin any more. Always uninstall a previous version of Audacious before installing a new one.