Audacious - OLD, PLEASE USE GITHUB DISCUSSIONS/ISSUES - Bug #511

misbehavior of function VFSFile::fread(...)

February 28, 2015 10:28 - Andrey Karpenko

Status:	Closed	Start date:	February 27, 2015
Priority:	Major	Due date:	
Assignee:		% Done:	100%
Category:	plugins/gio	Estimated time:	0.00 hour
Target version:	3.6.1		
Affects version:	3.6		
Description			
System: 3.16.0-30-generic #40-Ubuntu SMP Mon Jan 12 22:06:37 UTC 2015 x86_64 x86_64 x86_64 GNU/Linux and 3.13.0-46-generic #75-Ubuntu SMP Tue Feb 10 15:24:04 UTC 2015 x86_64 x86_64 x86_64 GNU/Linux			
Description: misbehavior of function VFSFile::fread() in case of read from smb:// file server			
Log message: ERROR vfs_local.cc:116 [vfs_local_fopen]: smb://192.168.2.148/share/Music/Sandra.The.Platinum.Collection.(3CD).2009.Ape.Cue.Lossless/CD2/Sandra - Platinum Collection.ape: No such file or directory			
Workaround: Use symlink to gvfs folder to access network files or use retry logic in the code			
<pre>int XXX::Read(void * pBuffer, unsigned int nBytesToRead, unsigned int * pBytesRead) { if(vfsl=0) { int64_t cur = vfs-> ftell(); *pBytesRead = (unsigned int)vfs->fread(pBuffer, 1, nBytesToRead); if(nBytesToRead > *pBytesRead) { if(lvfs ->feof()) { AUDERR; if(lvfs -> fseek(cur, VFSSeekType::VFS_SEEK_SET)) { *pBytesRead = (unsigned int)vfs->fread(pBuffer, 1, nBytesToRead); AUDERR;</pre>			
In case of workaround use the log looks like:			
ERROR newplugin.cc:156 [Read]: Requested 16320 bytes, actually read 64 bytes ERROR newplugin.cc:158 [Read]: Trying to retry from the last place ERROR newplugin.cc:162 [Read]: After second attempt read 16256 bytes			
Note: It is possible to play files from the same server without any issues with different names Thanks in advance			

History

#1 - February 28, 2015 14:50 - John Lindgren

I don't understand this bug report at all. There is no file named newplugin.cc in Audacious or Audacious Plugins; what code are you changing? And how does adding retry logic have anything to do with a "No such file or directory" error?

#2 - February 28, 2015 16:14 - Andrey Karpenko

- File Audacious3.6.log added

Hi John,

I have wrote two new plugins for your great and very nice player version 3.4.x. There were some reasons to write these plugins. I can explain why if you are interested in to know it.

It was tested a lot of time. Everything was fine it works on intel and arm32 platforms.

Yesterday I have ported the old code to new version of Audacious. And a strange behavior of the Monkey's Audio plugin was found.

Please, take a look at the code on https://github.com/wknightbor/Additional-plugins-for-Audacious-3.6

mac.cc line 147 (retry logic)

Please, find attached log.

If you suppose it isn't a fread function problem, Please, help me to fix it. I believe I have found something helpful to improve the player.

Thanks in advance Andrey

#3 - March 03, 2015 06:47 - John Lindgren

- Category set to plugins/gio

Okay, the part about the retry logic makes sense now. I expect we need to implement a loop around g_input_stream_read() in the GIO plugin. I assumed that g_input_stream_read() would behave like POSIX fread() and read as many bytes as requested, but it appears that this is not the case.

I still don't understand the part about the "No such file or directory" error. Are you thinking this error is due to a problem in Audacious, or was it just mentioned because it happened to be in the log?

#4 - March 03, 2015 20:38 - Andrey Karpenko

Hi John

I still don't understand the part about the "No such file or directory" error. Are you thinking this error is due to a problem in Audacious, or was it just mentioned because it happened to be in the log?

Now I know there was two issues. The second was not because of player. The error "No such file or directory" is not relevant. Thanks

Fixed in Git.

#6 - March 06, 2015 04:07 - John Lindgren

- Status changed from New to Closed
- Target version set to 3.6.1
- % Done changed from 0 to 100

Files

Audacious3.6.log

17.5 KB February 28, 2015

Andrey Karpenko