

Audacious - Bug #887

Using KDE Plasma 5 shutdown start menu, computer cannot shutdown when Audacious is running, but Audacious close itself instead. Notification "Logout cancelled by 'audacious'" appeared.

April 30, 2019 01:50 - kevin tee

Status: Rejected	Start date: April 30, 2019
Priority: Minor	Due date:
Assignee:	% Done: 0%
Category:	Estimated time: 0.00 hour
Target version:	
Affects version: 3.10.1	

Description

Audacious 3.10.1
Operating System: openSUSE Tumbleweed 20190428
KDE Plasma Version: 5.15.4
KDE Frameworks Version: 5.57.0
Qt Version: 5.12.3
Kernel Version: 5.0.9-1-default
OS Type: 64-bit
Processors: 8 × Intel® Core™ i7-3770 CPU @ 3.40GHz
Memory: 7.5 GiB of RAM

When I have Audacious running.
Try to shutdown with the shutdown menu icon in the start menu.
Audacious closed itself.
Notification "Logout cancelled by 'audacious'" appeared.

So I ran dbus-monitor, this is what I got.

```
user@linux:~> dbus-monitor
signal time=1556585302.265492 sender=org.freedesktop.DBus -> destination=:1.57 serial=2 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameAcquired
  string ":1.57"
signal time=1556585302.265549 sender=org.freedesktop.DBus -> destination=:1.57 serial=4 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameLost
  string ":1.57"
method call time=1556585305.586283 sender=:1.19 -> destination=org.freedesktop.DBus serial=364 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.kde.ksmserver'"
method call time=1556585305.586363 sender=:1.19 -> destination=org.freedesktop.DBus serial=365 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.kde.ksmserver"
method return time=1556585305.586387 sender=org.freedesktop.DBus -> destination=:1.19 serial=77 reply_serial=365
  string ":1.11"
method call time=1556585305.586624 sender=:1.19 -> destination=org.kde.ksmserver serial=366 path=/KSMserver; interface=org.kde.KSMserverInterface; member=canShutdown
method return time=1556585305.598339 sender=:1.11 -> destination=:1.19 serial=82 reply_serial=366
  boolean true
method call time=1556585305.598666 sender=:1.19 -> destination=org.freedesktop.DBus serial=367 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.kde.ksmserver'"
method call time=1556585305.598791 sender=:1.19 -> destination=org.freedesktop.DBus serial=368 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.kde.ksmserver'"
method call time=1556585305.598935 sender=:1.19 -> destination=org.freedesktop.DBus serial=369 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.kde.ksmserver"
```

```
method return time=1556585305.598960 sender=org.freedesktop.DBus -> destination=:1.19 serial=78 re
ply_serial=369
  string ":1.11"
method call time=1556585305.599146 sender=:1.19 -> destination=org.kde.ksmserver serial=370 path=/
KSMServer; interface=org.kde.KSMServerInterface; member=canShutdown
method return time=1556585305.604453 sender=:1.11 -> destination=:1.19 serial=83 reply_serial=370
  boolean true
method call time=1556585305.604641 sender=:1.19 -> destination=org.freedesktop.DBus serial=371 pat
h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.kde.ksmserver'"
method call time=1556585308.996598 sender=:1.19 -> destination=org.freedesktop.DBus serial=372 pat
h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.kde.ksmserver'"
method call time=1556585308.996671 sender=:1.19 -> destination=org.freedesktop.DBus serial=373 pat
h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.kde.ksmserver"
method return time=1556585308.996691 sender=org.freedesktop.DBus -> destination=:1.19 serial=79 re
ply_serial=373
  string ":1.11"
method call time=1556585308.996905 sender=:1.19 -> destination=org.kde.ksmserver serial=374 path=/
KSMServer; interface=org.kde.KSMServerInterface; member=logout
  int32 -1
  int32 2
  int32 -1
method call time=1556585308.996930 sender=:1.19 -> destination=org.freedesktop.DBus serial=375 pat
h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.kde.ksmserver'"
method call time=1556585308.997711 sender=:1.11 -> destination=org.freedesktop.DBus serial=84 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.kde.LogoutPrompt'"
method call time=1556585308.997781 sender=:1.11 -> destination=org.freedesktop.DBus serial=85 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.kde.LogoutPrompt"
error time=1556585308.997793 sender=org.freedesktop.DBus -> destination=:1.11 error_name=org.freed
esktop.DBus.Error.NameHasNoOwner reply_serial=85
  string "Could not get owner of name 'org.kde.LogoutPrompt': no such name"
method call time=1556585308.998228 sender=:1.11 -> destination=org.kde.LogoutPrompt serial=86 path
=/LogoutPrompt; interface=org.kde.LogoutPrompt; member=promptShutDown
method call time=1556585308.998286 sender=:1.11 -> destination=org.freedesktop.DBus serial=87 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.kde.LogoutPrompt'"
method return time=1556585308.998357 sender=:1.11 -> destination=:1.19 serial=88 reply_serial=374
method call time=1556585309.071375 sender=:1.58 -> destination=org.freedesktop.DBus serial=1 path=
/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=Hello
method return time=1556585309.071395 sender=org.freedesktop.DBus -> destination=:1.58 serial=1 rep
ly_serial=1
  string ":1.58"
signal time=1556585309.071407 sender=org.freedesktop.DBus -> destination=(null destination) serial
=80 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameOwnerChanged
  string ":1.58"
  string ""
  string ":1.58"
signal time=1556585309.071428 sender=org.freedesktop.DBus -> destination=:1.58 serial=2 path=/org/
freedesktop/DBus; interface=org.freedesktop.DBus; member=NameAcquired
  string ":1.58"
method call time=1556585309.071526 sender=:1.58 -> destination=org.freedesktop.DBus serial=2 path=
/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',path='/BreezeStyle',interface='org.kde.Breeze.Style',member='reparseConf
iguration'"
method call time=1556585309.071559 sender=:1.58 -> destination=org.freedesktop.DBus serial=3 path=
/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',path='/BreezeDecoration',interface='org.kde.Breeze.Style',member='reparse
```

```
Configuration'"
method call time=1556585309.073266 sender=:1.58 -> destination=org.freedesktop.DBus serial=4 path=
/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.kde.kmsserver'"
method call time=1556585309.073338 sender=:1.58 -> destination=org.freedesktop.DBus serial=5 path=
/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.kde.kmsserver"
method return time=1556585309.073354 sender=org.freedesktop.DBus -> destination=:1.58 serial=3 reply_serial=5
  string ":1.11"
method call time=1556585309.073499 sender=:1.58 -> destination=org.kde.kmsserver serial=6 path=/KSM
Server; interface=org.kde.KSMServerInterface; member=isShuttingDown
method call time=1556585309.073519 sender=:1.58 -> destination=org.kde.kmsserver serial=7 path=/KSM
Server; interface=org.kde.KSMServerInterface; member=canShutdown
method return time=1556585309.073636 sender=:1.11 -> destination=:1.58 serial=89 reply_serial=6
  boolean false
method return time=1556585309.077622 sender=:1.11 -> destination=:1.58 serial=90 reply_serial=7
  boolean true
method call time=1556585309.078227 sender=:1.58 -> destination=org.freedesktop.DBus serial=8 path=
/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RequestName
  string "org.kde.LogoutPrompt"
  uint32 4
signal time=1556585309.078243 sender=org.freedesktop.DBus -> destination=(null destination) serial
=81 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameOwnerChanged
  string "org.kde.LogoutPrompt"
  string ""
  string ":1.58"
signal time=1556585309.078250 sender=org.freedesktop.DBus -> destination=:1.58 serial=4 path=/org/
freedesktop/DBus; interface=org.freedesktop.DBus; member=NameAcquired
  string "org.kde.LogoutPrompt"
method return time=1556585309.078255 sender=org.freedesktop.DBus -> destination=:1.58 serial=5 reply_serial=8
  uint32 1
method call time=1556585309.078423 sender=:1.58 -> destination=org.freedesktop.DBus serial=9 path=
/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.ally.Bus',arg1=''"
method call time=1556585309.078432 sender=:1.58 -> destination=org.freedesktop.DBus serial=10 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameHasOwner
  string "org.ally.Bus"
method return time=1556585309.078438 sender=org.freedesktop.DBus -> destination=:1.58 serial=6 reply_serial=10
  boolean true
method call time=1556585309.078633 sender=:1.58 -> destination=org.freedesktop.DBus serial=11 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.ally.Bus'"
method call time=1556585309.078716 sender=:1.58 -> destination=org.freedesktop.DBus serial=12 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.ally.Bus"
method return time=1556585309.078740 sender=org.freedesktop.DBus -> destination=:1.58 serial=7 reply_serial=12
  string ":1.37"
method call time=1556585309.078862 sender=:1.58 -> destination=org.ally.Bus serial=13 path=/org/ally/bus; interface=org.freedesktop.DBus.Properties; member=Get
  string "org.ally.Status"
  string "ScreenReaderEnabled"
method return time=1556585309.079031 sender=:1.37 -> destination=:1.58 serial=31 reply_serial=13
  variant boolean false
method call time=1556585309.079599 sender=:1.58 -> destination=org.freedesktop.DBus serial=14 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',path='/KDEPlatformTheme',interface='org.kde.KDEPlatformTheme',member='refreshFonts'"
method call time=1556585309.079629 sender=:1.58 -> destination=org.freedesktop.DBus serial=15 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',path='/KToolBar',interface='org.kde.KToolBar',member='styleChanged'"
```

```
method call time=1556585309.079666 sender=:1.58 -> destination=org.freedesktop.DBus serial=16 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',path='/KGlobalSettings',interface='org.kde.KGlobalSettings',member='notif
yChange'"
method call time=1556585309.080348 sender=:1.58 -> destination=org.freedesktop.DBus serial=17 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',path='/KIconLoader',interface='org.kde.KIconLoader',member='iconChanged'"
method call time=1556585309.125464 sender=:1.58 -> destination=org.freedesktop.DBus serial=18 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.freedesktop.PowerManagement'"
method call time=1556585309.125527 sender=:1.58 -> destination=org.freedesktop.DBus serial=19 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.freedesktop.PowerManagement"
method return time=1556585309.125534 sender=org.freedesktop.DBus -> destination=:1.58 serial=8 rep
ly_serial=19
  string ":1.22"
method call time=1556585309.125601 sender=:1.58 -> destination=org.freedesktop.DBus serial=20 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.kde.Solid.PowerManagement.PolicyAgent'"
method call time=1556585309.125656 sender=:1.58 -> destination=org.freedesktop.DBus serial=21 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.kde.Solid.PowerManagement.PolicyAgent"
method return time=1556585309.125663 sender=org.freedesktop.DBus -> destination=:1.58 serial=9 rep
ly_serial=21
  string ":1.22"
method call time=1556585309.125733 sender=:1.58 -> destination=org.freedesktop.DBus serial=22 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.freedesktop.PowerManagement.Inhibit'"
method call time=1556585309.125784 sender=:1.58 -> destination=org.freedesktop.DBus serial=23 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.freedesktop.PowerManagement.Inhibit"
method return time=1556585309.125791 sender=org.freedesktop.DBus -> destination=:1.58 serial=10 re
ply_serial=23
  string ":1.22"
method call time=1556585309.125854 sender=:1.58 -> destination=org.freedesktop.DBus serial=24 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.kde.Solid.PowerManagement'"
method call time=1556585309.125918 sender=:1.58 -> destination=org.freedesktop.DBus serial=25 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerMana
gement',interface='org.freedesktop.PowerManagement',member='CanSuspendChanged'"
method call time=1556585309.125946 sender=:1.58 -> destination=org.freedesktop.DBus serial=26 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.freedesktop.PowerManagement'"
method call time=1556585309.125972 sender=:1.58 -> destination=org.freedesktop.DBus serial=27 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.freedesktop.PowerManagement"
method return time=1556585309.125979 sender=org.freedesktop.DBus -> destination=:1.58 serial=11 re
ply_serial=27
  string ":1.22"
method call time=1556585309.126044 sender=:1.58 -> destination=org.freedesktop.DBus serial=28 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerMana
gement',interface='org.freedesktop.PowerManagement',member='CanHibernateChanged'"
method call time=1556585309.126067 sender=:1.58 -> destination=org.freedesktop.DBus serial=29 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerMana
gement',interface='org.freedesktop.PowerManagement',member='CanHybridSuspendChanged'"
method call time=1556585309.126100 sender=:1.58 -> destination=org.freedesktop.DBus serial=30 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerMana
```

```

gement', interface='org.freedesktop.PowerManagement', member='PowerSaveStatusChanged'"
method call time=1556585309.126155 sender=:1.58 -> destination=org.freedesktop.DBus serial=31 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameHasOwner
    string "org.kde.Solid.PowerManagement"
method return time=1556585309.126179 sender=org.freedesktop.DBus -> destination=:1.58 serial=12 re
ply_serial=31
    boolean true
method call time=1556585309.126267 sender=:1.58 -> destination=org.kde.Solid.PowerManagement seria
l=32 path=/org/kde/Solid/PowerManagement; interface=org.kde.Solid.PowerManagement; member=backendC
apabilities
method return time=1556585309.126473 sender=:1.22 -> destination=:1.58 serial=128 reply_serial=32
    uint32 1
method call time=1556585309.126577 sender=:1.58 -> destination=org.freedesktop.DBus serial=33 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
    string "type='signal', sender='org.kde.Solid.PowerManagement', path='/org/kde/Solid/PowerManageme
nt/Actions/SuspendSession', interface='org.kde.Solid.PowerManagement.Actions.SuspendSession', member
='resumingFromSuspend'"
method call time=1556585309.126592 sender=:1.58 -> destination=org.freedesktop.DBus serial=34 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
    string "type='signal', sender='org.freedesktop.DBus', interface='org.freedesktop.DBus', member='Na
meOwnerChanged', arg0='org.kde.Solid.PowerManagement'"
method call time=1556585309.126624 sender=:1.58 -> destination=org.freedesktop.DBus serial=35 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
    string "org.kde.Solid.PowerManagement"
method return time=1556585309.126632 sender=org.freedesktop.DBus -> destination=:1.58 serial=13 re
ply_serial=35
    string ":1.22"
method call time=1556585309.126726 sender=:1.58 -> destination=org.freedesktop.DBus serial=36 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameHasOwner
    string "org.freedesktop.PowerManagement"
method return time=1556585309.126733 sender=org.freedesktop.DBus -> destination=:1.58 serial=14 re
ply_serial=36
    boolean true
method call time=1556585309.126827 sender=:1.58 -> destination=org.freedesktop.PowerManagement ser
ial=37 path=/org/freedesktop/PowerManagement; interface=org.freedesktop.PowerManagement; member=Ca
nSuspend
method return time=1556585309.126948 sender=:1.22 -> destination=:1.58 serial=129 reply_serial=37
    boolean true
method call time=1556585309.127040 sender=:1.58 -> destination=org.freedesktop.PowerManagement ser
ial=38 path=/org/freedesktop/PowerManagement; interface=org.freedesktop.PowerManagement; member=Ca
nHibernate
method return time=1556585309.127121 sender=:1.22 -> destination=:1.58 serial=130 reply_serial=38
    boolean true
method call time=1556585309.127198 sender=:1.58 -> destination=org.freedesktop.PowerManagement ser
ial=39 path=/org/freedesktop/PowerManagement; interface=org.freedesktop.PowerManagement; member=Ca
nHybridSuspend
method return time=1556585309.127279 sender=:1.22 -> destination=:1.58 serial=131 reply_serial=39
    boolean true
method call time=1556585309.127374 sender=:1.58 -> destination=org.freedesktop.PowerManagement ser
ial=40 path=/org/freedesktop/PowerManagement; interface=org.freedesktop.PowerManagement; member=Ge
tPowerSaveStatus
method return time=1556585309.127462 sender=:1.22 -> destination=:1.58 serial=132 reply_serial=40
    boolean false
method call time=1556585309.341273 sender=:1.58 -> destination=org.freedesktop.DBus serial=41 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
    string "type='signal', sender='org.freedesktop.DBus', interface='org.freedesktop.DBus', member='Na
meOwnerChanged', arg0='org.freedesktop.ScreenSaver'"
method call time=1556585309.341321 sender=:1.58 -> destination=org.freedesktop.DBus serial=42 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
    string "org.freedesktop.ScreenSaver"
method return time=1556585309.341332 sender=org.freedesktop.DBus -> destination=:1.58 serial=15 re
ply_serial=42
    string ":1.11"
method call time=1556585309.344847 sender=:1.58 -> destination=org.freedesktop.DBus serial=43 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
    string "type='signal', sender='org.freedesktop.ScreenSaver', path='/ScreenSaver', interface='org.f
reedesktop.ScreenSaver', member='ActiveChanged'"

```

```
method call time=1556585309.344868 sender=:1.58 -> destination=org.freedesktop.DBus serial=44 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.freedesktop.ScreenSaver'"
method call time=1556585309.344892 sender=:1.58 -> destination=org.freedesktop.DBus serial=45 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.freedesktop.ScreenSaver"
method return time=1556585309.344902 sender=org.freedesktop.DBus -> destination=:1.58 serial=16 re
ply_serial=45
  string ":1.11"
method return time=1556585309.464821 sender=:1.58 -> destination=:1.11 serial=46 reply_serial=86
method call time=1556585310.925012 sender=:1.58 -> destination=org.freedesktop.DBus serial=47 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.kde.ksmserver"
method return time=1556585310.925048 sender=org.freedesktop.DBus -> destination=:1.58 serial=17 re
ply_serial=47
  string ":1.11"
method call time=1556585310.925344 sender=:1.58 -> destination=org.kde.ksmserver serial=48 path=/K
SMServer; interface=org.kde.KSMServerInterface; member=logout
  int32 0
  int32 2
  int32 -1
method call time=1556585310.926426 sender=:1.11 -> destination=org.freedesktop.DBus serial=91 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.kde.Shutdown'"
method call time=1556585310.926545 sender=:1.11 -> destination=org.freedesktop.DBus serial=92 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.kde.Shutdown"
method return time=1556585310.926569 sender=org.freedesktop.DBus -> destination=:1.11 serial=32 re
ply_serial=92
  string ":1.11"
method call time=1556585310.926987 sender=:1.11 -> destination=org.freedesktop.DBus serial=93 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.freedesktop.PowerManagement"
method return time=1556585310.927013 sender=org.freedesktop.DBus -> destination=:1.11 serial=33 re
ply_serial=93
  string ":1.22"
method call time=1556585310.927263 sender=:1.11 -> destination=org.freedesktop.DBus serial=94 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.freedesktop.PowerManagement.Inhibit'"
method call time=1556585310.927332 sender=:1.11 -> destination=org.freedesktop.DBus serial=95 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.freedesktop.PowerManagement.Inhibit"
method return time=1556585310.927352 sender=org.freedesktop.DBus -> destination=:1.11 serial=34 re
ply_serial=95
  string ":1.22"
method call time=1556585310.927630 sender=:1.11 -> destination=org.freedesktop.DBus serial=96 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.kde.Solid.PowerManagement'"
method call time=1556585310.927699 sender=:1.11 -> destination=org.freedesktop.DBus serial=97 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerMana
gement',interface='org.freedesktop.PowerManagement',member='CanSuspendChanged'"
method call time=1556585310.927721 sender=:1.11 -> destination=org.freedesktop.DBus serial=98 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.freedesktop.PowerManagement'"
method call time=1556585310.927807 sender=:1.11 -> destination=org.freedesktop.DBus serial=99 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=GetNameOwner
  string "org.freedesktop.PowerManagement"
method return time=1556585310.927828 sender=org.freedesktop.DBus -> destination=:1.11 serial=35 re
ply_serial=99
  string ":1.22"
method call time=1556585310.928097 sender=:1.11 -> destination=org.freedesktop.DBus serial=100 pat
```

```
h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerManagement',interface='org.freedesktop.PowerManagement',member='CanHibernateChanged'"
method call time=1556585310.928127 sender=:1.11 -> destination=org.freedesktop.DBus serial=101 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerManagement',interface='org.freedesktop.PowerManagement',member='CanHybridSuspendChanged'"
method call time=1556585310.928146 sender=:1.11 -> destination=org.freedesktop.DBus serial=102 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerManagement',interface='org.freedesktop.PowerManagement',member='PowerSaveStatusChanged'"
method call time=1556585310.928223 sender=:1.11 -> destination=org.freedesktop.DBus serial=103 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameHasOwner
  string "org.kde.Solid.PowerManagement"
method return time=1556585310.928244 sender=org.freedesktop.DBus -> destination=:1.11 serial=36 reply_serial=103
  boolean true
method call time=1556585310.928560 sender=:1.11 -> destination=org.kde.Solid.PowerManagement serial=104 path=/org/kde/Solid/PowerManagement; interface=org.kde.Solid.PowerManagement; member=backendCapabilities
method return time=1556585310.928740 sender=:1.22 -> destination=:1.11 serial=133 reply_serial=104
  uint32 1
method call time=1556585310.928966 sender=:1.11 -> destination=org.freedesktop.DBus serial=105 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.kde.Solid.PowerManagement',path='/org/kde/Solid/PowerManagement/Actions/SuspendSession',interface='org.kde.Solid.PowerManagement.Actions.SuspendSession',member='resumingFromSuspend'"
method call time=1556585310.929242 sender=:1.11 -> destination=org.freedesktop.DBus serial=106 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameHasOwner
  string "org.freedesktop.PowerManagement"
method return time=1556585310.929272 sender=org.freedesktop.DBus -> destination=:1.11 serial=37 reply_serial=106
  boolean true
method call time=1556585310.929406 sender=:1.11 -> destination=org.freedesktop.PowerManagement serial=107 path=/org/freedesktop/PowerManagement; interface=org.freedesktop.PowerManagement; member=CanSuspend
method return time=1556585310.929593 sender=:1.22 -> destination=:1.11 serial=134 reply_serial=107
  boolean true
method call time=1556585310.929765 sender=:1.11 -> destination=org.freedesktop.PowerManagement serial=108 path=/org/freedesktop/PowerManagement; interface=org.freedesktop.PowerManagement; member=CanHibernate
method return time=1556585310.929918 sender=:1.22 -> destination=:1.11 serial=135 reply_serial=108
  boolean true
method call time=1556585310.930065 sender=:1.11 -> destination=org.freedesktop.PowerManagement serial=109 path=/org/freedesktop/PowerManagement; interface=org.freedesktop.PowerManagement; member=CanHybridSuspend
method return time=1556585310.930253 sender=:1.22 -> destination=:1.11 serial=136 reply_serial=109
  boolean true
method call time=1556585310.930430 sender=:1.11 -> destination=org.freedesktop.PowerManagement serial=110 path=/org/freedesktop/PowerManagement; interface=org.freedesktop.PowerManagement; member=GetPowerSaveStatus
method return time=1556585310.930603 sender=:1.22 -> destination=:1.11 serial=137 reply_serial=110
  boolean false
method call time=1556585310.930991 sender=:1.11 -> destination=org.kde.Solid.PowerManagement.PolicyAgent serial=111 path=/org/kde/Solid/PowerManagement/PolicyAgent; interface=org.kde.Solid.PowerManagement.PolicyAgent; member=AddInhibition
  uint32 1
  string "ksmserver"
  string "Shutting down system"
method return time=1556585310.931211 sender=:1.22 -> destination=:1.11 serial=138 reply_serial=111
  uint32 1
method call time=1556585310.931571 sender=:1.58 -> destination=org.freedesktop.DBus serial=49 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.freedesktop.ScreenSaver',path='/ScreenSaver',interface='org.freedesktop.ScreenSaver',member='ActiveChanged'"
method call time=1556585310.931631 sender=:1.58 -> destination=org.freedesktop.DBus serial=50 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
```

```
string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.freedesktop.ScreenSaver'"
method call time=1556585310.931709 sender=:1.58 -> destination=org.freedesktop.DBus serial=51 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.freedesktop.ScreenSaver'"
method call time=1556585310.931837 sender=:1.58 -> destination=org.freedesktop.DBus serial=52 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.freedesktop.DBus'"
error time=1556585310.931864 sender=org.freedesktop.DBus -> destination=:1.58 error_name=org.freedesktop.DBus.Error.MatchRuleNotFound reply_serial=52
string "The given match rule wasn't found and can't be removed"
method call time=1556585310.934869 sender=:1.58 -> destination=org.freedesktop.DBus serial=53 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.kde.ksmserver'"
method call time=1556585310.935064 sender=:1.58 -> destination=org.freedesktop.DBus serial=54 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',path='/BreezeDecoration',interface='org.kde.Breeze.Style',member='reparseConfiguration'"
method call time=1556585310.935081 sender=:1.58 -> destination=org.freedesktop.DBus serial=55 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',path='/BreezeStyle',interface='org.kde.Breeze.Style',member='reparseConfiguration'"
method call time=1556585310.938910 sender=:1.58 -> destination=org.freedesktop.DBus serial=56 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',path='/KDEPlatformTheme',interface='org.kde.KDEPlatformTheme',member='refreshFonts'"
method call time=1556585310.938993 sender=:1.58 -> destination=org.freedesktop.DBus serial=57 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',path='/KGlobalSettings',interface='org.kde.KGlobalSettings',member='notifyChange'"
method call time=1556585310.939047 sender=:1.58 -> destination=org.freedesktop.DBus serial=58 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',path='/KToolBar',interface='org.kde.KToolBar',member='styleChanged'"
method call time=1556585310.939658 sender=:1.11 -> destination=org.freedesktop.DBus serial=112 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.kde.Shutdown'"
method return time=1556585310.939675 sender=:1.11 -> destination=:1.58 serial=113 reply_serial=48
method call time=1556585310.942394 sender=:1.58 -> destination=org.freedesktop.DBus serial=59 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.ally.Bus',arg1=''"
method call time=1556585310.942486 sender=:1.58 -> destination=org.freedesktop.DBus serial=60 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.ally.Bus'"
method call time=1556585310.943735 sender=:1.58 -> destination=org.freedesktop.DBus serial=61 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.kde.Solid.PowerManagement'"
method call time=1556585310.943989 sender=:1.58 -> destination=org.freedesktop.DBus serial=62 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.freedesktop.PowerManagement.Inhibit'"
method call time=1556585310.944002 sender=:1.58 -> destination=org.freedesktop.DBus serial=63 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.kde.Solid.PowerManagement.PolicyAgent'"
method call time=1556585310.944011 sender=:1.58 -> destination=org.freedesktop.DBus serial=64 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerManagement',interface='org.freedesktop.PowerManagement',member='CanHybridSuspendChanged'"
method call time=1556585310.944019 sender=:1.58 -> destination=org.freedesktop.DBus serial=65 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
```



```

    string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerManagement',interface='org.freedesktop.PowerManagement',member='PowerSaveStatusChanged'"
method call time=1556585310.944028 sender=:1.58 -> destination=org.freedesktop.DBus serial=66 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
    string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerManagement',interface='org.freedesktop.PowerManagement',member='CanSuspendChanged'"
method call time=1556585310.944037 sender=:1.58 -> destination=org.freedesktop.DBus serial=67 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
    string "type='signal',sender='org.freedesktop.PowerManagement',path='/org/freedesktop/PowerManagement',interface='org.freedesktop.PowerManagement',member='CanHibernateChanged'"
method call time=1556585310.944046 sender=:1.58 -> destination=org.freedesktop.DBus serial=68 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
    string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.freedesktop.PowerManagement'"
method call time=1556585310.944054 sender=:1.58 -> destination=org.freedesktop.DBus serial=69 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
    string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.freedesktop.PowerManagement'"
method call time=1556585310.944062 sender=:1.58 -> destination=org.freedesktop.DBus serial=70 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
    string "type='signal',sender='org.kde.Solid.PowerManagement',path='/org/kde/Solid/PowerManagement/Actions/SuspendSession',interface='org.kde.Solid.PowerManagement.Actions.SuspendSession',member='resumingFromSuspend'"
method call time=1556585310.944084 sender=:1.58 -> destination=org.freedesktop.DBus serial=71 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
    string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.kde.Solid.PowerManagement'"
method call time=1556585310.944439 sender=:1.58 -> destination=org.freedesktop.DBus serial=72 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
    string "type='signal',path='/KIconLoader',interface='org.kde.KIconLoader',member='iconChanged'"

signal time=1556585310.945967 sender=org.freedesktop.DBus -> destination=:1.58 serial=5 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameLost
    string "org.kde.LogoutPrompt"
signal time=1556585310.945986 sender=org.freedesktop.DBus -> destination=(null destination) serial=82 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameOwnerChanged
    string "org.kde.LogoutPrompt"
    string ":1.58"
    string ""

signal time=1556585310.946001 sender=org.freedesktop.DBus -> destination=:1.58 serial=6 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameLost
    string ":1.58"

signal time=1556585310.946010 sender=org.freedesktop.DBus -> destination=(null destination) serial=83 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameOwnerChanged
    string ":1.58"
    string ":1.58"
    string ""

method call time=1556585310.948632 sender=:1.11 -> destination=org.kde.Solid.PowerManagement.PolicyAgent serial=114 path=/org/kde/Solid/PowerManagement/PolicyAgent; interface=org.kde.Solid.PowerManagement.PolicyAgent; member=ReleaseInhibition
    uint32 1

method call time=1556585310.948652 sender=:1.11 -> destination=org.freedesktop.DBus serial=115 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
    string "type='signal',path='/Config',interface='org.kde.knotification',member='reparseConfiguration'"

method call time=1556585310.948787 sender=:1.11 -> destination=org.freedesktop.DBus serial=116 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameHasOwner
    string "org.freedesktop.Notifications"

method return time=1556585310.948799 sender=org.freedesktop.DBus -> destination=:1.11 serial=38 reply_serial=116
    boolean true

method return time=1556585310.948805 sender=:1.22 -> destination=:1.11 serial=139 reply_serial=114

method call time=1556585310.949225 sender=:1.11 -> destination=org.freedesktop.DBus serial=117 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
    string "type='signal',path='/org/freedesktop/Notifications',interface='org.freedesktop.Notifications',member='ActionInvoked'"

method call time=1556585310.949300 sender=:1.11 -> destination=org.freedesktop.DBus serial=118 pat

```

```

h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',path='/org/freedesktop/Notifications',interface='org.freedesktop.Notifica
tions',member='NotificationClosed'"
method call time=1556585310.949422 sender=:1.11 -> destination=org.freedesktop.DBus serial=119 pat
h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=AddMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na
meOwnerChanged',arg0='org.freedesktop.Notifications'"
method call time=1556585310.949634 sender=:1.11 -> destination=org.freedesktop.Notifications seria
l=120 path=/org/freedesktop/Notifications; interface=org.freedesktop.Notifications; member=GetCapa
bilities
method return time=1556585310.964781 sender=:1.19 -> destination=:1.11 serial=376 reply_serial=120
  array [
    string "body"
    string "body-hyperlinks"
    string "body-markup"
    string "body-images"
    string "icon-static"
    string "actions"
  ]
method call time=1556585310.965129 sender=:1.11 -> destination=org.freedesktop.Notifications seria
l=121 path=/org/freedesktop/Notifications; interface=org.freedesktop.Notifications; member=Notify
  string "Plasma Workspace"
  uint32 0
  string "start-here-kde-plasma"
  string "Plasma Workspace"
  string "Logout cancelled by 'audacious'"
  array [
  ]
  array [
    dict entry(
      string "transient"
      variant boolean true
    )
    dict entry(
      string "x-kde-appname"
      variant string "plasma_workspace"
    )
    dict entry(
      string "x-kde-eventId"
      variant string "cancellogout"
    )
  ]
  int32 -1
method return time=1556585310.968152 sender=:1.19 -> destination=:1.11 serial=377 reply_serial=121
  uint32 2
method call time=1556585311.232994 sender=:1.55 -> destination=org.freedesktop.DBus serial=14 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',path='/BreezeDecoration',interface='org.kde.Breeze.Style',member='reparse
Configuration'"
method call time=1556585311.233018 sender=:1.55 -> destination=org.freedesktop.DBus serial=15 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',path='/BreezeStyle',interface='org.kde.Breeze.Style',member='reparseConfi
guration'"
method call time=1556585311.242177 sender=:1.55 -> destination=org.freedesktop.DBus serial=16 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',path='/KDEPlatformTheme',interface='org.kde.KDEPlatformTheme',member='ref
reshFonts'"
method call time=1556585311.242221 sender=:1.55 -> destination=org.freedesktop.DBus serial=17 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',path='/KToolBar',interface='org.kde.KToolBar',member='styleChanged'"
method call time=1556585311.242237 sender=:1.55 -> destination=org.freedesktop.DBus serial=18 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',path='/KGlobalSettings',interface='org.kde.KGlobalSettings',member='notif
yChange'"
method call time=1556585311.243260 sender=:1.55 -> destination=org.freedesktop.DBus serial=19 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='Na

```

```
meOwnerChanged',arg0='org.ally.Bus',arg1=''
method call time=1556585311.243324 sender=:1.55 -> destination=org.freedesktop.DBus serial=20 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.freedesktop.DBus'"
error time=1556585311.243337 sender=org.freedesktop.DBus -> destination=:1.55 error_name=org.freed
esktop.DBus.Error.MatchRuleNotFound reply_serial=20
  string "The given match rule wasn't found and can't be removed"
method call time=1556585311.243370 sender=:1.55 -> destination=org.freedesktop.DBus serial=21 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.ally.Bus'"
method call time=1556585311.243943 sender=:1.54 -> destination=org.freedesktop.DBus serial=10 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=ReleaseName
  string "org.atheme.audacious"
signal time=1556585311.243958 sender=org.freedesktop.DBus -> destination=:1.54 serial=7 path=/org/
freedesktop/DBus; interface=org.freedesktop.DBus; member=NameLost
  string "org.atheme.audacious"
signal time=1556585311.243966 sender=org.freedesktop.DBus -> destination=(null destination) serial
=84 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameOwnerChanged
  string "org.atheme.audacious"
  string ":1.54"
  string ""
method return time=1556585311.243976 sender=org.freedesktop.DBus -> destination=:1.54 serial=8 rep
ly_serial=10
  uint32 1
method call time=1556585311.251944 sender=:1.55 -> destination=org.freedesktop.DBus serial=22 path
=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',path='/KIconLoader',interface='org.kde.KIconLoader',member='iconChanged'"
signal time=1556585311.252703 sender=org.freedesktop.DBus -> destination=:1.55 serial=7 path=/org/
freedesktop/DBus; interface=org.freedesktop.DBus; member=NameLost
  string ":1.55"
signal time=1556585311.252720 sender=org.freedesktop.DBus -> destination=(null destination) serial
=85 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameOwnerChanged
  string ":1.55"
  string ":1.55"
  string ""
signal time=1556585311.256370 sender=org.freedesktop.DBus -> destination=:1.54 serial=8 path=/org/
freedesktop/DBus; interface=org.freedesktop.DBus; member=NameLost
  string "org.mpris.MediaPlayer2.audacious"
signal time=1556585311.256395 sender=org.freedesktop.DBus -> destination=(null destination) serial
=86 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameOwnerChanged
  string "org.mpris.MediaPlayer2.audacious"
  string ":1.54"
  string ""
signal time=1556585311.256418 sender=org.freedesktop.DBus -> destination=:1.54 serial=9 path=/org/
freedesktop/DBus; interface=org.freedesktop.DBus; member=NameLost
  string ":1.54"
signal time=1556585311.256425 sender=org.freedesktop.DBus -> destination=(null destination) serial
=87 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=NameOwnerChanged
  string ":1.54"
  string ":1.54"
  string ""
method call time=1556585311.256832 sender=:1.24 -> destination=org.freedesktop.DBus serial=193 pat
h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.mpris.MediaPlayer2.audacious',path='/org/mpris/MediaPlayer2',
interface='org.freedesktop.DBus.Properties',member='PropertiesChanged'"
method call time=1556585311.256975 sender=:1.24 -> destination=org.freedesktop.DBus serial=194 pat
h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.mpris.MediaPlayer2.audacious',path='/org/mpris/MediaPlayer2',
interface='org.mpris.MediaPlayer2.Player',member='Seeked'"
method call time=1556585311.256990 sender=:1.24 -> destination=org.freedesktop.DBus serial=195 pat
h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal',sender='org.freedesktop.DBus',interface='org.freedesktop.DBus',member='NameOwnerChanged',arg0='org.mpris.MediaPlayer2.audacious'"
method call time=1556585311.257003 sender=:1.24 -> destination=org.freedesktop.DBus serial=196 pat
```

```
h=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal', sender='org.freedesktop.DBus', interface='org.freedesktop.DBus', member='NameOwnerChanged', arg0='org.mpris.MediaPlayer2.audacious'"
method call time=1556585311.309827 sender=:1.19 -> destination=org.freedesktop.DBus serial=378 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal', sender='org.mpris.MediaPlayer2.audacious', path='/org/mpris/MediaPlayer2', interface='org.freedesktop.DBus.Properties', member='PropertiesChanged'"
method call time=1556585311.309881 sender=:1.19 -> destination=org.freedesktop.DBus serial=379 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal', sender='org.mpris.MediaPlayer2.audacious', path='/org/mpris/MediaPlayer2', interface='org.mpris.MediaPlayer2.Player', member='Seeked'"
method call time=1556585311.309888 sender=:1.19 -> destination=org.freedesktop.DBus serial=380 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal', sender='org.freedesktop.DBus', interface='org.freedesktop.DBus', member='NameOwnerChanged', arg0='org.mpris.MediaPlayer2.audacious'"
method call time=1556585311.309894 sender=:1.19 -> destination=org.freedesktop.DBus serial=381 path=/org/freedesktop/DBus; interface=org.freedesktop.DBus; member=RemoveMatch
  string "type='signal', sender='org.freedesktop.DBus', interface='org.freedesktop.DBus', member='NameOwnerChanged', arg0='org.mpris.MediaPlayer2.audacious'"
signal time=1556585316.313726 sender=:1.19 -> destination=(null destination) serial=382 path=/org/freedesktop/Notifications; interface=org.freedesktop.Notifications; member=NotificationClosed
  uint32 2
  uint32 1
```

History

#1 - April 30, 2019 05:12 - John Lindgren

- Status changed from New to Rejected

The message from KDE is misleading. Audacious does not "cancel" your logout or shutdown; that is totally up to KDE. Audacious responds to either SIGTERM or an X11 Delete event by closing itself promptly, and that is all.

I'm not sure what information you expected us to be able to find in your D-Bus log, but it doesn't seem very helpful.

Talk to the KDE developers, and please ask them to change their misleading message so we don't get any further bug reports when KDE decides not to log out properly.

#2 - April 30, 2019 14:49 - kevin tee

John Lindgren wrote:

The message from KDE is misleading. Audacious does not "cancel" your logout or shutdown; that is totally up to KDE. Audacious responds to either SIGTERM or an X11 Delete event by closing itself promptly, and that is all.

I'm not sure what information you expected us to be able to find in your D-Bus log, but it doesn't seem very helpful.

Talk to the KDE developers, and please ask them to change their misleading message so we don't get any further bug reports when KDE decides not to log out properly.

I don't know what I can find either, do you know what bug category this would fit in the kde bug tracking?

#3 - April 30, 2019 15:52 - John Lindgren

kevin tee wrote:

I don't know what I can find either, do you know what bug category this would fit in the kde bug tracking?

This would fall under the category of session management.

#4 - May 01, 2019 17:43 - kevin tee

John Lindgren wrote:

kevin tee wrote:

I don't know what I can find either, do you know what bug category this would fit in the kde bug tracking?

This would fall under the category of session management.

I ask the KDE dev here

https://bugs.kde.org/show_bug.cgi?id=407100

I quote them

Plasma respects apps that say they need to inhibit shutdown. You can either disable this functionality in Plasma (click on power/battery system tray item and uncheck "enable power management") or you can ask Audacious's developer to change the app to not inhibit power management when running, or to make that feature optional.

Is this true? Does Audacious inhibit shutdown?

#5 - May 02, 2019 00:47 - John Lindgren

No it doesn't, I said that already.